

RRR *HelpText* User Documentation _{version 1.0.0.7} by Misi Mladoniczky (miz@rrr.se)

Table of Contents

Background	2
What's it for?	2
Compatibility	2
Getting started	3
Installation	3
How does it work	3
Support, Suggestions and Troubleshooting	3
Working with RRR HelpText	3
Logging in to your AR Server	3
Choosing the forms to work with	4
Selecting object types	4
Working in the Help Text Table	5
The Edit Dialog	6
Filtering of Objects and Sorting	6
Find/Replace	7
A couple of neat short cuts	7
Saving your changes to the AR Server	7



Background

What's it for?

When working as an administrator in the AR System, Help Texts are used for two things, giving informative help to users and documenting your workflow bits and peaces.

The AR Admin interface to the HelpTexts has one major shortcoming, it does only allow you to see and edit one Help Text at a time. You have to drill down several layers to get to it.

RRR *HelpText* is designed to make it fast and easy to see the current Help Texts, as well as edit them and update the objects in the server.

The Windows GUI Interface is designed to look, feel and behave like an AR User/Admin Client, to make it easy to get started.

Compatibility

The program is compiled against the version 7.0 AR System API, just like the AR Admin and AR User in version 7.0.

The single updated attribute modified by the program is the Help Text attribute of the objects. This will ensure that nothing but the Help Texts can be affected by RRR *HelpText*.

All this will ensure maximum compatibility with earlier and future versions of the AR System. You should use AR Admin of the same version as the AR Server, but with RRR | *HelpText* it will not matter, as only Help Texts are modified.

RRR HelpText					<u> </u>
File Edit View Help					
 Image: Forms is a straight of the links Image: Forms is a straight of the link Guides is a straight of th	Filters 🕒 🗆 Es	icalation 🕤 🗆 App enu 👘 🗆 Pac 💱 🗆 We	blications C Al king Lists C Or b Services C Or	l nly NULLs nly Duplicates nly Changes	Find/Replace
Equal Case insensitive C Leading C Anywhere Reset Sort Order	i Filter Name Filter	ID Filter	Help Text Filter		
Type Form	Name	ID	Help Text		▲
Field AR System Email Mailbox Field AR System Email Mailbox Field AR System Email Messages Field AR System Email Templates Field AR System Email Templates Field AR System Email Messages	Default Addressing Box Default Addressing Label Existing Atachment ID Existing Atachment ID Existing Atachment Existing Atachment Values Attachment Encoding Encoding	18199 18198 18175 18175 18174 18174 18174 18066 18132	Use the menus to sele Use the menus to sele This field is used to te This field is used to sp This field is used to sp	ect default email ac ect default email ac emp store the name emp store the name emp store the name occify the characte pecify the characte	Idresse g of the g of the g of the g of the g of the g of the r enco r enco
Field AR System Email Messages	RTF Content Attachment	18215	This field is used to sp This field is used to sp	pecify the characte	r enco



Getting started

Installation

Just run the install shield and choose the installation directory.

How does it work

Start the RRR *HelpText* and login as you would in AR Admin. You will then be shown the typical View By Form Dialog, where you can select those forms you would like to work with.

Check on one or more object types, such as Forms and Fields. This will show a list of Help Texts that you can edit. They will be pulled from the server as needed.

When you are done, choose File->Save (ctrl-s).

Support, Suggestions and Troubleshooting

If you run in to any problems, or have any other feedback you want to share, please contact RRR at <u>support@rrr.se</u>.

Working with RRR | HelpText

Logging in to your AR Server

Just specify your login credentials as you would in any other BMC-Remedy AR System Client.

Login	x
<u>S</u> erver:	test.rrr.se
User Name:	miz
Password:	***
<u>A</u> uthentication:	
<u>T</u> CP Port:	6000
	OK Cancel



RRR *HelpText* User Documentation - version 1.0.0.7 by Misi Mladoniczky

Choosing the forms to work with

Choose the Forms you want to work with in a similar way as in AR Admin. If you load all forms immediately, the loading of the Help Texts can take a little while.

Select Form			×
C ⊆hoose Application: Home Page		V	ок
C Forms With Prefix: AR			Cancel
• Selected Forms			
A <u>v</u> ailable Forms		Selected Forms:	
AR System Administration: Server Information AR System Administration: Support Form AR System Administrator Preference AR System Currency Localized Labels AR System Currency Ratios AR System Email Association AR System Email Attachment Join AR System Email Attachments AR System Email Error Logs AR System Email Instruction Parameters AR System Email Instructions AR System Email Instructions AR System Email Mailbox Configuration AR System Email Messages AR System Email Security	▲ <u>Add</u> >>> <<< <u>R</u> emove <u>Add</u> All >>> <<< <u>Remove</u> All	AR System Application State AR System Currency Codes AR System Currency Label Catalog	

Selecting object types

When you check an object type the first time, the Help Texts will be loaded from the server. The Fields can take a little while to lode, if many forms has been selected.

The Help Texts of the chosen Object Types will be shown in a table.

When deselecting an object type, changes and Help Texts will be preserved in memory until you save your changes.

 Forms Views 	🗞 🗖 Active Links	💠 🗖 Filters	🚯 🔲 Escalation	🕤 🗖 Applications
	🥸 🗖 Active Link Guides	🎝 🗍 Filter Guides	🗐 🔲 Menu	👩 🗖 Packing Lists
🖼 🔽 Fields				💲 🔲 Web Services



RRR *HelpText* User Documentation - version 1.0.0.7 by Misi Mladoniczky

Working in the Help Text Table

You can select one or more help texts in the table and edit them one at a time.

Double Click or press **Enter** to edit a sing Help Text.

You can copy (ctrl-c) and paste (ctrl-v) Help Texts in the table. You can even select multiple rows to paste the same Help Text into all of them.

Select one or mor Help Texts and press Delete to clear them.

Edit->Undo (ctrl-z) will undo your last changes, and Edit->Redo (ctrl->y) will redo the last changes.

Edit->Restore will restore the Help Text to what is stored on the server.

Туре	Form	Name	ID	Help Text	
Field	AR System Email Mailbox	Default Addressing Box	18199	Use the menus to select default email addresse	
Field	AR System Email Mailbox	Default Addressing Label	18198	Use the menus to select default email addresse	
Field	AR System Email Messages	Existing Atachment ID	18175	This field is used to temp store the name of the	
Field	AR System Email Templates	Existing Atachment ID	18175	This field is used to temp store the name of the	
Field	AR System Email Messages	Existing Atachment	18174	This field is used to temp store the name of the	
Field	AR System Email Templates	Existing Atachment	18174	This field is used to temp store the name of the	
Field	AR System Email Messages	Values Attachment Encoding	18066	This field is used to specify the character enco	
Field	AR System Email Templates	Encoding	18132	This field is used to specify the character enco	
Field	AR System Email Messages	RTF Content Attachment	18215	This field is used to specify the character enco	
Leiald	AD Suctom Empil Moccogoo	HTML Contant Attachmon	101/11	This field is used to specify the sharestor anso	



The Edit Dialog

Edit the Help Text as desired.

There are a number of shortcuts that is designed to work similar to AR User:

- Ctrl-PgUp will jump to the previous Help Text row in the table
- Ctrl-PgUp will jump to the next Help Text row in the table
- Ctrl-Enter will store your Help Text (in memory, not on the server) and close the dialog
- Ctrl-Y will store your Help Text and jump to the next one
- Esc will cancel your changes and close the dialog

Edit Help Tex	it		×
Туре	Form	Name	ID
Field	AR System Email Temp	Existing Atachment ID	18175
This field is	used to temp store the nam	e of the attachment yo woul	d like to apper 🔺
<< Prev	OK Save	& Edit Next Cancel	Next >>

Filtering of Objects and Sorting

You can use the Form-, Name-, ID-, and Help Text Filter fields to filter out those rows you are not interested in.

Use Case Insensitive and Leading/Equal/Anywhere to change the behaviour.

Sort by clicking on the desired table header, or reset the sort order by clicking the designated button.

C Equal	🔲 Case insensitve	Form Filter	Name Filter	ID Filter	Help Text Filter
C Leading C Anywhere	Reset Sort Order				



RRR *HelpText* User Documentation - version 1.0.0.7 by Misi Mladoniczky

Find/Replace

The find and replace dialog will let you do simple find and replace operations on the Help Texts in the Table.

Operation will always start with the row after the selected one.

Find and Replace		×
Find what:		
HelpText		
, Replace with:		
Help Text		
	Find <u>R</u> eplace Cancel	

A couple of neat short cuts

This little box will let you filter Help Texts to find, e.g. potential errors or areas of improvement, such as empty or duplicate Help Texts.

Note that the selected objects and filter fields will still be used.

To really view all changes you must select Only Changes, choose View By Forms->All Forms, and finally check all Object Types.

O All
C Only NULLs
Only Duplicates
O Only Changes

Saving your changes to the AR Server

File->Save (ctrl-s in the main Window) will store the Help Texts you have changed to the AR Server.

If you try to exit **RRR** *HelpText* by mistake, you will be warned, and will have the opportunity to save your changes anyway.

