#### Remedy License Management



#### Misi Mladoniczy miz@rrr.se



## Misi Mladoniczky

- 12 years of AR System development
- Remedy Approved Instructor since version 2.1
- RAC certified (former)

• Founder of RRR Scandinavia AB www.rrr.se



#### How does AR System licensing work

- AR System
  - Server Licenses (includes 3 fixed user licenses)
  - AR System Fixed User Licenses
  - AR System Floating User Licenses
- Applications
  - Server Licenses
  - Application User Fixed Licenses
  - Application User Floating Licenses



# Read, Write or Restricted Read?



- Read Submitter of requests
- End Customer (the submitter of requests)
- Reporting and monitoring



- Write (fixed or floating) Modify records
- HelpDesk
- 1<sup>st</sup>, 2<sup>nd</sup> and 3<sup>rd</sup> line



#### **Restricted Read** - Shared accounts, multiple IP

- Submitting anonymous web-surveys
- Anonymous reporting and statistics



# Read, Write or Restricted Read?

		Write	Read	Restricted Read
667	Search for records	$\checkmark$	$\checkmark$	
ଟେ	View records	$\checkmark$	$\checkmark$	$\checkmark$
×1	Create new records	$\checkmark$	$\checkmark$	

#### Modify Records:



\*) If submitter mode is set to locked and ('Submitter' = \$USER\$)



# Floating Licenses

# When no more Floating Tokens are available, the user is assigned a Read License instead.








#### News in version 7.1

- Nothing has changed
- License key handling has been simplified
  - Accessible through BMC Remedy User only
  - Licenses stored in the database
  - You can import your old license file
- No keys for user licenses, just specify any number you like, and then submit a Purchase-Order to your <u>Remedy Partner!!!</u>




## Adding user licenses in 7.1





## Adding user licenses in 7.1





## Multiple Servers in 7.1

- You can add the licenses for all servers that will connect to the same database, for example a server group or hot backup server
- The Host-ID is not needed when submitting licenses, it is only needed when you request license keys from BMC
- Do not worry about the "ARWARN [469] Warning, this key is not valid for this server" message, the key will be picked up by the correct server
- This screen shot shows all you need to enter:

License Type* AR Server	▼ Num	ber of Licenses* 1 📑
License Qualifier MULTISERVER;ID=1	125308082; Key	YGR-137499
Expiration Date		



# How is licensing enforced?

📑 AR System: Generate I	License Usage Repo 🔉
 bmcsoftware	
AR System Licer	nse Usage
License Report Start Date	2007-10-01
License Report End Date	2007-10-08
Generate Report Can	cel
	3
	5

You can be requested to generate a license report by BMC Remedy Support

	10-0	0-08 ReportResult.txt								
1.	10-0		A	В	С	D	E	F		
					BMC Remedy License Us	age Report				
				Report Date	Mon Oct 08 15:50:54 2007					
Ι	3			Host	winxp12ars71.rrr					
	4			From date	Mon Oct 01 00:00:00 2007	To date	Mon Oct 08 23:59:59 2007			
	5									
	6	License								
	7	Description		Count	Currently Defined Limit	Comments				
L	8	AR Migrator		1	1					
	9	Remedy Deve	loper Plus	1	1					
	10	AR Server		5	1	MULTISERV	ER			
			AR FTS Fixed	0	0					
		AR User Fixe		1	1234	The 3 fixed	(server) licenses does			
			AR FTS Floating	0	0	not show!				
	14	AR User Floa	ting	0	0					
	15	Summary Key	/	72c2cfde		Support car	n check your checksum			
	16									
	47	→ → \Report	Result /		•			١Ē		
	Read	ły					NUM			



## Bad for the license "buffer"

- Event-triggered Active-Links that access the server
- Users configuring Auto-Refresh
- Users not logging out when they are done
- Web users closing their browser (instead of logging out)
- A shortage of licenses will make your user protective of the license they have managed to grab

**10** timeouts per day, at the one hour timeout setting, will cost you **1** Floating License!



# Strategy "in a nutshell"

- A user who works more should have a Fixed
- A user who works less should have a Floating
- A user not requiring a Write license should have a Read instead of a Fixed or Floating





# Strategy "advanced"

- Identify your peak hours
- Measure individual user activity during your peak hours
- Assign your Fixed licenses to the highest rating users
- A Fixed License costs only 40% of a Floating License. Base your license distribution on this number.



## When to measure - don't forget...

- Users in multiple timezones
- Holiday season
- Variations in activity at start or end of month
- Vacations for individual users
- External problems or events that affect user access to your system

Measure at least 4-6 weeks during "standard" conditions



#### How to measure - AR User/Admin

• By looking at the current user list in AR Admin (< 7.x) or AR User (in version 7.x)

AR System Administration: Manage User	Licenses (Search)
 bmcsoftware	
Manage User Licenses	
Users Category Server - Current Users Server - Registered Users Server - Invalid Users Application - Current Users Application - Registered Users	License Type All Fixed Floating Read Restricted Read FTS Fixed FTS Floating FTS None
User Name   Write License   FTS License   Conr   Demo   Fixed   None   2007	nect Time Last Access Time Write License Pool 7-10-08 13:24:56 2007-10-08 18:58:11
Total Current Users: 1	Release User Close

a lot of manual work
difficult to draw
conclusions
you can manually
release users if there
is a shortage



#### How to measure - User Log File

<USER> /\* sept 30 2007 08:58:24.1379 \*/ FLOAT GRANT WRITE morhun01 (74 of 81 write)
<USER> /\* sept 30 2007 08:58:25.7325 \*/ FLOAT NO WRITE FREE micmac04 (all 81 write in use)
<USER> /\* sept 30 2007 08:58:33.4837 \*/ READ RELEASE kerrin03
<USER> /\* sept 30 2007 08:58:44.3420 \*/ FIXED GRANT WRITE livyok01

- + Everything is here, but it is hard to read manually
- Difficult to draw conclusions
- License Pool information is missing
- + Very detailed statistics per individual user
- + Historical data

+ Very accurate (except, in my experience, when using server groups)





#### How to measure - Server Statistics

- + Good summary
- + Easy to create reports
   No statistics for individual users

Configured under Server Information -> Advanced

Server Statistics : Server Recording Mode C Off © Cumulative Queue C Cumulative and Individual Queue Recording Interval (seconds) : 60

• Add a filter to notify you when there is a shortage...


Server Statistics (Modify)								
Server Statistics - Mat	Server Statistics - Matching							
Queue	Modified Date							
CUMULATIVE	2007-10-08 18:35:	27						
Time		18:35:27						
Queue		CUMULATIVE						
API Calls Count		7940						
Bad Password Attempts		0						
API Requests Proc-Time		8						
Floating Write Token De	nied	0						
Floating FTS Token Den	ied	0						
Number of Current Users		1						
Fixed Write Lic Connection	ons	1						
Floating Write Lic Conne	ctions	0						
Read Only Lic Connectio	ns	0	-					
Fixed FTS Lic Connection	ns	0						
Floating FTS Lic Connec	tions	0						
Non FTS Lic Connection	s	1	-					
<li></li>			• //					



# **Application Licenses**

Very similar to AR System Fixed/Floating Licenses Example of optimum license assignment for one user

- AR System User Fixed
- BMC: Asset Mgmt Floating
- BMC:Problem Mgmt Floating
- BMC: Incident Mgmt Fixed
- News in ITSM 7
- Floating Application Licenses are now enforced
- Application Licenses are now logged in the User Log






# **Application 7 Licenses Tokens**

- Forms are "tagged" by the Application they belong to
- Any operation to any form (except opening the form window) will grab the AR System License Token, if one is available
- Any operation to a "tagged" form will grab the Application License Token
- Timeout for an Application License happens when the "tagged" forms have not been accessed during the timeout period



#### Case study - RRR License

- Customer had a significant shortage of licenses during peak hours
- Fixed usage was low
- They had the wrong mix of fixed/floating licenses in their system



- The User Log used was 6 weeks in length
- A shortage of 15 Floating Licenses was turned into a significant License Buffer



## Case Study - File Upload

- A 6-week User Log was uploaded to RRR License
- An ARX-export from the User form was also uploaded
- Some information not contained in these files were entered

user.log									
If you want to delete your user.log-file from the server press <u>delete user.log</u> .									
If you have a slow cor	If you have a slow connection, you can compress the file. Supported types are Z, gz and z Bläddra								
Upload user.log									
Make Statistics adv	Make Statistics advanced settings								
Type Of License	Owned Fixed Licenses								
AR System	31								
BMC:Asset Mgmt	5								
BMC:Incident Mgmt 10									
BMC:Problem Mgmt	5								
Statistics for AR System or Application licenses AR System									
Make statistics (this	; may take a couple of seconds)								



#### Case Study - Peak Hours

 Shortage of Floating Licenses during Peak Hours only

These are the peak 20.0% of the logged hours.								
Date	Weekday	Hour	Max READ	Max FIXED	Max FLOAT	FIXED+FLOAT		
2002-09-30	mo	9	2	12	96	108		
2002-09-30	mo	10	I	13	87	100		
2002-09-30	mo		3	13	86	99		
2002-09-30	mo	12	I		77	88		
2002-09-30	mo	13	I	12	85	97		
2002-09-30	mo	14	I	15	86	101		
2002-09-30	mo	15	3	13	89	102		
2002-10-01	tu	8	2	12	79	91		
2002-10-01	tu	9	3		82	93		
	+	10	I	L n	05	07		



#### Case Study - User Statistics

- The login percentage during peak hours is calculated for each user
- There are too few Fixed licenses in the system

#### User License Tuning Exchangelist

With your current license mix, this is a list of users you should move from **FIXED** to **FLOAT**.

Rank	<u>User</u>	License	Logintime %	Peaktime %	Usage Trend	Sessions	Float Rejects	Timeouts
I	marstr01	FIXED	0.0	0.0	+0.00	0	0	0
21	micmac03	FIXED	16.8	74.7	-0.48	143	0	0
22	deahun01	FIXED	25.5	71.0	+0.13	271	0	0

The Pivot-Point is ~71%, but should be 40%.


	2	

With your current license mix, this is a list of users you should move from **FLOAT** to **FIXED**.

Rank	<u>User</u>	License	Logintime %	Peaktime %	Usage Trend	Sessions	Float Rejects	Timeouts
I	chamla02	FLOAT	32.2	99.3	-0.14	298	2	6
2	diryok02	FLOAT	24.0	95.2	-0.15	222	2	2
3	micwhi02	FLOAT	26.4	94.1	-0.13	209	I	3

# Case Study - User Exchange Only


- 22 users moved from Fixed to Floating
- 22 users moved from Floating to Fixed
- Shortage of 15
   Floating has been
   reduced to a
   shortage of 3
- High use of the Fixed Licenses





## Case Study - Server License Mix


- Fixed and Floating Licenses can typically be exchanged at an exchange rate defined by the current USD price-list
- The rate between Fixed and Floating has been 40% for a long time



- You get 2.5 Fixed Licenses for each Floating
- We moved our **Pivot-Point** to 40% by way of exchanging 28 of the floating licenses to 70 Fixed
- Normal/Optimum Fixed usage around 70%



#### Case Study - Results



- 2002 before: **31 Fixed**, **81 Floating**, 434 Users, Shortage **15**
- 2002 after: 101 Fixed, 53 Floating, Buffer of 17
- Today 2007: 230 Fixed, 77 Floating, 1220 Users



#### Add Users not Licenses!

- Download this presentation at www.rrr.se/doc
- Try the demo version of RRR License to see how your system is tuned
- Online and Offline versions are available





